

IN1118HD

InFocus

Ultra-Portable Projector with PC-less Display

Part #: IN1118HD

The IN1118HD mobile projector is the brightest product on the market, lumens per pound, and this book-sized projector goes anywhere.

Key Features

- ◆ Compact and lightweight for easy travel
- ◆ The only full 1080p HD products on the market at this ultra-portable size
- ◆ 2,400 lumens for bright images in any light
- ◆ PC-less display from USB drive or 4GB of internal memory
- ◆ Add the [LightCast Key](#) to wirelessly cast from any device or view documents
- ◆ Connect via HDMI and USB with ease
- ◆ Includes carrying case for easy portability
- ◆ Durable, road-tested design that's built to last



"Highly Recommended" -- [IN1118HD review by HomeTheaterHiFi.com](#)



LightCast Wireless Collaboration

Use the [LightCast Key](#) (sold separately) to easily connect and share content from your Apple, Windows, Android, or Chrome devices. Access the document viewer for PC-less presentation, and then browse the internet or use a digital whiteboard, all without connecting a device.*

* Wireless keyboard and mouse are recommended for digital whiteboard and internet browser usage.

Carry it Everywhere

At only 3.5 lbs. and the size of a small hardback novel, the IN1118HD projector is easy to pack and carry in its included soft case, a backpack, or your laptop bag. Take your presentations with you and never worry about on-site AV again.

Display from No Device at All

Leave your laptop behind and project images, audio and video directly from 4GB of on-board memory. Just load your files and go.

Built for the Road

A recessed lens keeps this projector safe from impact, plus a smooth exterior has no edges to snag or break when taking it in or out of the included carrying case.



Specifications*

Projector	IN118HD
Resolution – Native	Full HD (1920 x 1080)
Resolution – Maximum	WUXGA (1920 x 1200)
Display Technology	DLP
Video Standard Compatibility	NTSC, NTSC 4.43, PAL, PAL-M, PAL-N, SECAM, 480i, 480p, 576i, 720p, 1080i, 1080p
Speakers	Mono 2W x 1
Lamp Brightness	2,400 lumens
Lamp Brightness – Low Power	1,920 lumens
Lamp Life	6,000 hours
Lamp Life – Low Power	10,000 hours
Lamp Power	170W
Lamp Power – Eco Mode	150W
Replacement Lamp	SP-LAMP-095
Contrast Ratio	15,000:1
Number of Colors	16.7 million
Aspect Ratio	16:9
Aspect Ratio Compatibility	4:3, 16:10
Image Size – Minimum	30 in
Image Size – Maximum	300 in
Projection Offset	15
Keystone Correction	± 40°V
Connectors – Inputs	HDMI 1.4a (including audio), Composite video, S-video, 3.5mm PC audio, VGA
Connectors – Outputs	3.5mm audio output
Audible Noise	< 30 dBA at 0°F / -17.8°C
Audible Noise – Eco Mode	< 27 dBA at 0°F / -17.8°C
Included Accessories	Power cord, Remote, VGA cable, Documentation, Carrying case, 3.5mm stereo audio cable
Product Warranty	2 years
Lamp Warranty	6 months
Accessories Warranty	90 days
Storage	4 GB
PC-less Compatibility	USB HID mouse and keyboard, USB 2.0 Micro-B, USB 2.0 Type-A x2, File viewer/player, USB HID
Video Player Compatibility	AVI, MKV, 3GP, MP4, MPEG-1 (MPG, MPEG), QuickTime (MOV, QT), RealMedia (RM, RMVB)
Photo Viewer Compatibility	JPEG and JPG, PNG, Bitmap (BMP)
Music Player Compatibility	MP3, WMA, AAC, WAV
Power Consumption	220.0W max
Power Consumption – Standby Mode	0.5W max
Power Consumption – Low Power	180.0W max

Projector	IN118HD
Operating Conditions	32 to 95°F at 0 to 10000 ft / 0 to 35°C at 0 to 3048 m
Documentation Languages	English, French, German, Spanish, Italian, Norwegian, Dutch, Simplified Chinese, Korean, Swedish, Russian, Arabic, Indonesian, Portuguese
Menu Languages	English, French, German, Spanish, Italian, Norwegian, Dutch, Simplified Chinese, Traditional Chinese, Korean, Swedish, Russian, Finnish, Polish, Turkish, Danish, Arabic, Indonesian, Persian, Portuguese, Vietnamese, Czech, Romanian, Hungarian
Approvals	UL and c-UL, FCC, CE, CCC+CECP, KCC, NOM, PCT/CU/EAC, PSB, SABS, SASO, CB, Nemco/GS, KC
Throw and Zoom	
Throw Distance – Minimum	1 m
Throw Distance – Maximum	10 m
Throw Ratio – Minimum	1.15:1
Throw Ratio – Maximum	1.50:1
Zoom Ratio	1.3:1
Shipping	
Product Dimensions	7.3 x 8.8 x 3.1 in / 185.4 x 223.5 x 78.7 mm
Product Weight	3.5 lbs / 1.6 kg
Shipping Dimensions	12 x 6.5 x 14.5 in / 304.8 x 165.1 x 368.3 mm
Shipping Weight	5.7 lbs / 2.6 kg

* Product specifications, terms, and offerings are subject to change at any time without notice.

Accessories

- 1 Year Extended Warranty for IN1XXX, IN2XXX, IN3XXX Projectors (EPW-PJM1)
- Manual Pull Up Projector Screen: 73 in., 16:9 (SC-PUW-73)
- Projector Lamp for IN1116 and IN118HD (SP-LAMP-095)
- Presenter 4 RF Remote with Laser Pointer (HW-PRESENTER-4)
- LightCast Key (INA-LCKEY1)
- LiteShow 4 DB+ Dual Band Wireless Adapter (INLITESHOW4DB+)
- LightCast Key (Europe) (INA-LCKEY2)
- LightCast Key (Asia-Pacific) (INA-LCKEY3)
- VGA Cable (36 ft / 11 m) (SP-VGA-11M)
- DLP Link 3D Glasses by XPAND (X103-EDUX3-R1)
- 2 Year Extended Warranty for IN1XXX, IN2XXX, IN3XXX Projectors (EPW-PJM2)